


1/19



2/19

FIG. 2






FIG. 3




4/19

FIG. 4



5/19

FIG. 5



6/19

FIG. 6






FIG. 7




8/19

FIG. 8




9/19




DocId:3546460

10/19



11/19

FIG. 10A



12/19






FIG. 10B

OFFICE OF THE ATTORNEY GENERAL


13/19







15/19

FIG. 13




Parameter	Value	Unit	Parameter	Value	Unit
α	0.001		β	0.001	
γ	0.001		δ	0.001	
ϵ	0.001		ζ	0.001	
η	0.001		θ	0.001	
ι	0.001		κ	0.001	
λ	0.001		μ	0.001	
ν	0.001		ξ	0.001	
\omicron	0.001		π	0.001	
ρ	0.001		σ	0.001	
τ	0.001		υ	0.001	
ϕ	0.001		χ	0.001	
ψ	0.001		ω	0.001	
Ω	0.001		Θ	0.001	
Φ	0.001		Ψ	0.001	
Υ	0.001		Ξ	0.001	
Λ	0.001		Σ	0.001	
Π	0.001		Υ	0.001	
Γ	0.001		Δ	0.001	
Σ	0.001		Γ	0.001	
Δ	0.001		Σ	0.001	
Γ	0.001		Δ	0.001	
Σ	0.001		Γ	0.001	
Δ	0.001		Σ	0.001	
Γ	0.001		Δ	0.001	
Σ	0.001		Γ	0.001	
Δ	0.001		Σ	0.001	
Γ	0.001		Δ	0.001	
Σ	0.001		Γ	0.001	
Δ	0.001		Σ	0.001	
Γ	0.001		Δ	0.001	
Σ	0.001		Γ	0.001	
Δ	0.001		Σ	0.001	
Γ	0.001		Δ	0.001	
Σ	0.001		Γ	0.001	
Δ	0.001		Σ	0.001	
Γ	0.001		Δ	0.001	
Σ	0.001		Γ	0.001	
Δ	0.001		Σ	0.001	
Γ	0.001		Δ	0.001	
Σ	0.001		Γ	0.001	
Δ	0.001		Σ	0.001	
Γ	0.001		Δ	0.001	
Σ	0.001		Γ	0.001	
Δ	0.001		Σ	0.001	
Γ	0.001		Δ	0.001	
Σ	0.001		Γ	0.001	
Δ	0.001		Σ	0.001	
Γ	0.001		Δ	0.001	
Σ	0.001		Γ	0.001	
Δ	0.001		Σ	0.001	
Γ	0.001		Δ	0.001	
Σ	0.001		Γ	0.001	
Δ	0.001		Σ	0.001	
Γ	0.001		Δ	0.001	
Σ	0.001		Γ	0.001	
Δ	0.001		Σ	0.001	
Γ	0.001		Δ	0.001	
Σ	0.001		Γ	0.001	
Δ	0.001		Σ	0.001	
Γ	0.001		Δ	0.001	
Σ	0.001		Γ	0.001	
Δ	0.001		Σ	0.001	
Γ	0.001		Δ	0.001	
Σ	0.001		Γ	0.001	
Δ	0.001		Σ	0.001	
Γ	0.001		Δ	0.001	



[illegible]

18/19

FIG. 16



19/19

FIG. 17

